

EC - Attestation of Conformity

Certificate No.: S-TST23110410359-000

Holder of Certificate:

Dongguan Saiji Electric Technology Co., Ltd.
The third floor of Building A4, Zhigu Science and
Technology Park, Gekeng Village, hengli Town,
523469 Dongguan City, Guangdong Province, P. R. China

Manufacturing site: Same as applicant

Product : DC Fan (Cooling fan)

Model : See Page 2-13

Parameters :	Rated Voltage	See Page 2-13
	Rated Frequency	--
	Rated Power Input	See Page 2-13
	Maximum Ambient Temperature	--
	Insulation Class	B

Remark:

This DC cooling fan is only a component, when installing it into the end product, all requirements of the end product standard must be fulfilled.

This Attestation of Compliance is issued on a voluntary basis and confirms the compliance with the listed electrical safety standards for electrical equipment below 50V AC or 75V DC, which is below the voltage limits of the Low Voltage Directive 2014/35/EU. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: T-TST-2311337A Rev.01

Test standards: EN 60335-1: 2012 + A11: 2014 + A13: 2017+A1: 2019
+A14: 2019+A2: 2019+A15: 2021
EN 62233: 2008



This attestation is released with the above mentioned attestation number by the Testing Body of STAFIT Electronic Technology Co., Ltd.

After preparation of the necessary technical documentation as well as the conformity declaration the CE marking as shown below can be affixed on the equipment. Other relevant Directives have to be observed.



Department: TE / FS
Date: December 20, 2023 **Freda Shao / Manager**



Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F., Block A, International Business Incubator, Lanyue Road, Guangzhou Science Park, Guangdong, China
Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No. S-TST23110410359-000

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
1	SZ1504HD05	5	0.04	15*15*4mm
2	SZ1804HD05	5	0.04	18*18*4mm
3	SZ2006MD05	5	0.12	20*20*6mm
4	SZ2006HD05	5	0.16	20*20*6mm
5	SZ2006MD1	12	0.06	20*20*6mm
6	SZ2006HD1	12	0.1	20*20*6mm
7	SZ2010MD05	5	0.08	20*20*10mm
8	SZ2010HD05	5	0.13	20*20*10mm
9	SZ2010MD1	12	0.05	20*20*10mm
10	SZ2010HD1	12	0.08	20*20*10mm
11	SZ2507MD05	5	0.17	25*25*07mm
12	SZ2507HD05	5	0.19	25*25*07mm
13	SZ2507XD05	5	0.22	25*25*07mm
14	SZ2507MD1	12	0.07	25*25*07mm
15	SZ2507HD1	12	0.08	25*25*07mm
16	SZ2507XD1	12	0.09	25*25*07mm
17	SZ2510MD05	5	0.17	25*25*10mm
18	SZ2510HD05	5	0.19	25*25*10mm
19	SZ2510XD05	5	0.24	25*25*10mm
20	SZ2510MD1	12	0.07	25*25*10mm
21	SZ2510HD1	12	0.08	25*25*10mm
22	SZ2510XD1	12	0.10	25*25*10mm
23	SZ3007MD05	5	0.17	30*30*7mm
24	SZ3007HD05	5	0.19	30*30*7mm
25	SZ3007XD05	5	0.24	30*30*7mm
26	SZ3007MD1	12	0.07	30*30*7mm
27	SZ3007HD1	12	0.08	30*30*7mm
28	SZ3007XD1	12	0.10	30*30*7mm
29	SZ3010MD05	5	0.10	30*30*10mm
30	SZ3010HD05	5	0.15	30*30*10mm
31	SZ3010XD05	5	0.20	30*30*10mm
32	SZ3010MD1	12	0.05	30*30*10mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
33	SZ3010HD1	12	0.06	30*30*10mm
34	SZ3010XD1	12	0.08	30*30*10mm
35	SZ3010MD2	24	0.03	30*30*10mm
36	SZ3010HD2	24	0.04	30*30*10mm
37	SZ3010XD2	24	0.05	30*30*10mm
38	SZ3510MD05	5	0.13	35*35*10mm
39	SZ3510HD05	5	0.21	35*35*10mm
40	SZ3510XD05	5	0.31	35*35*10mm
41	SZ3510MD1	12	0.06	35*35*10mm
42	SZ3510HD1	12	0.09	35*35*10mm
43	SZ3510XD1	12	0.12	35*35*10mm
44	SZ3510MD2	24	0.04	35*35*10mm
45	SZ3510HD2	24	0.05	35*35*10mm
46	SZ3510XD2	24	0.06	35*35*10mm
47	SZ4010MD05	5	0.11	40*40*10mm
48	SZ4010HD05	5	0.21	40*40*10mm
49	SZ4010XD05	5	0.38	40*40*10mm
50	SZ4010MD1	12	0.06	40*40*10mm
51	SZ4010HD1	12	0.09	40*40*10mm
52	SZ4010XD1	12	0.15	40*40*10mm
53	SZ4010MD2	24	0.05	40*40*10mm
54	SZ4010HD2	24	0.06	40*40*10mm
55	SZ4010XD2	24	0.08	40*40*10mm
56	SZ4015MD1	12	0.09	40*40*15mm
57	SZ4015HD1	12	0.16	40*40*15mm
58	SZ4015XD1	12	0.25	40*40*15mm
59	SZ4015MD2	24	0.05	40*40*15mm
60	SZ4015HD2	24	0.08	40*40*15mm
61	SZ4015XD2	24	0.13	40*40*15mm
62	SZ4020MD1	12	0.09	40*40*20mm
63	SZ4020HD1	12	0.17	40*40*20mm
64	SZ4020XD1	12	0.32	40*40*20mm
65	SZ4020MD2	24	0.05	40*40*20mm
66	SZ4020HD2	24	0.08	40*40*20mm
67	SZ4020XD2	24	0.16	40*40*20mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
68	SZ4028MD1	12	0.26	40*40*28mm
69	SZ4028HD1	12	0.50	40*40*28mm
70	SZ4028XD1	12	0.80	40*40*28mm
71	SZ4028MD2	24	0.13	40*40*28mm
72	SZ4028HD2	24	0.25	40*40*28mm
73	SZ4028XD2	24	0.40	40*40*28mm
74	SZ4056LD1	12	1.24	40*40*56mm
75	SZ4056MD1	12	1.52	40*40*56mm
76	SZ4056HD1	12	2.01	40*40*56mm
77	SZ5010MD1	12	0.04	50*50*10mm
78	SZ5010HD1	12	0.07	50*50*10mm
79	SZ5010XD1	12	0.11	50*50*10mm
80	SZ5010LD2	24	0.03	50*50*10mm
81	SZ5010MD2	24	0.04	50*50*10mm
82	SZ5010HD2	24	0.08	50*50*10mm
83	SZ5015MD1	12	0.08	50*50*15mm
84	SZ5015HD1	12	0.13	50*50*15mm
85	SZ5015XD1	12	0.21	50*50*15mm
86	SZ5015LD2	24	0.04	50*50*15mm
87	SZ5015MD2	24	0.07	50*50*15mm
88	SZ5015HD2	24	0.11	50*50*15mm
89	SZ5020MD05	5	0.18	50*50*20mm
90	SZ5020HD05	5	0.30	50*50*20mm
91	SZ5020XD05	5	0.40	50*50*20mm
92	SZ5020MD1	12	0.08	50*50*20mm
93	SZ5020HD1	12	0.12	50*50*20mm
94	SZ5020XD1	12	0.20	50*50*20mm
95	SZ5020MD2	24	0.04	50*50*20mm
96	SZ5020HD2	24	0.06	50*50*20mm
97	SZ5020XD2	24	0.10	50*50*20mm
98	SZ6010MD05	5	0.12	60*60*10mm
99	SZ6010HD05	24	0.26	60*60*10mm
100	SZ6010MD1	12	0.10	60*60*10mm
101	SZ6010HD1	12	0.17	60*60*10mm
102	SZ6010MD2	24	0.06	60*60*10mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
103	SZ6010HD2	24	0.07	60*60*10mm
104	SZ6015MD1	12	0.06	60*60*15mm
105	SZ6015HD1	12	0.10	60*60*15mm
106	SZ6015XD1	12	0.16	60*60*15mm
107	SZ6015MD2	24	0.03	60*60*15mm
108	SZ6015HD2	24	0.05	60*60*15mm
109	SZ6015XD2	24	0.08	60*60*15mm
110	SZ6020MD1	12	0.10	60*60*20mm
111	SZ6020HD1	12	0.18	60*60*20mm
112	SZ6020XD1	12	0.28	60*60*20mm
113	SZ6020MD2	24	0.05	60*60*20mm
114	SZ6020HD2	24	0.09	60*60*20mm
115	SZ6020XD2	24	0.15	60*60*20mm
116	SZ6020MD4	48	0.04	60*60*20mm
117	SZ6020HD4	48	0.05	60*60*20mm
118	SZ6020XD4	48	0.08	60*60*20mm
119	SZ6025MD1	12	0.24	60*60*25mm
120	SZ6025HD1	12	0.46	60*60*25mm
121	SZ6025XD1	12	0.78	60*60*25mm
122	SZ6025MD2	24	0.12	60*60*25mm
123	SZ6025HD2	24	0.23	60*60*25mm
124	SZ6025XD2	24	0.39	60*60*25mm
125	SZ6025MD4	48	0.06	60*60*25mm
126	SZ6025HD4	48	0.12	60*60*25mm
127	SZ6025XD4	48	0.20	60*60*25mm
128	SZ6038LD1	12	0.29	60*60*38mm
129	SZ6038MD1	12	0.80	60*60*38mm
130	SZ6038HD1	12	1.70	60*60*38mm
131	SZ6038LD2	24	0.15	60*60*38mm
132	SZ6038MD2	24	0.40	60*60*38mm
133	SZ6038HD2	24	0.85	60*60*38mm
134	SZ6038LD4	48	0.08	60*60*38mm
135	SZ6038MD4	48	0.20	60*60*38mm
136	SZ6038HD4	48	0.43	60*60*38mm
137	SZ7015MD1	12	0.11	70*70*15mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
138	SZ7015HD1	12	0.28	70*70*15mm
139	SZ7015XD1	12	0.50	70*70*15mm
140	SZ7015MD2	24	0.06	70*70*15mm
141	SZ7015HD2	24	0.14	70*70*15mm
142	SZ7015XD2	24	0.25	70*70*15mm
143	SZ7020MD1	12	0.12	70*70*20mm
144	SZ7020HD1	12	0.22	70*70*20mm
145	SZ7020XD1	12	0.40	70*70*20mm
146	SZ7020MD2	24	0.06	70*70*20mm
147	SZ7020HD2	24	0.11	70*70*20mm
148	SZ7020XD2	24	0.20	70*70*20mm
149	SZ7025MD1	12	0.11	70*70*25mm
150	SZ7025HD1	12	0.28	70*70*25mm
151	SZ7025XD1	12	0.50	70*70*25mm
152	SZ7025MD2	24	0.06	70*70*25mm
153	SZ7025HD2	24	0.14	70*70*25mm
154	SZ7025XD2	24	0.25	70*70*25mm
155	SZ7025MD4	48	0.04	70*70*25mm
156	SZ7025HD4	48	0.07	70*70*25mm
157	SZ7025XD4	48	0.13	70*70*25mm
158	SZ8015MD1	12	0.10	80*80*15mm
159	SZ8015HD1	12	0.19	80*80*15mm
160	SZ8015XD1	12	0.31	80*80*15mm
161	SZ8015MD2	24	0.05	80*80*15mm
162	SZ8015HD2	24	0.10	80*80*15mm
163	SZ8015XD2	24	0.16	80*80*15mm
164	SZ8020MD1	12	0.12	80*80*20mm
165	SZ8020HD1	12	0.28	80*80*20mm
166	SZ8020XD1	12	0.40	80*80*20mm
167	SZ8020MD2	24	0.06	80*80*20mm
168	SZ8020HD2	24	0.14	80*80*20mm
169	SZ8020XD2	24	0.20	80*80*20mm
170	SZ8025MD1	12	0.24	80*80*25mm
171	SZ8025HD1	12	0.40	80*80*25mm
172	SZ8025XD1	12	0.65	80*80*25mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
173	SZ8025MD2	24	0.10	80*80*25mm
174	SZ8025HD2	24	0.20	80*80*25mm
175	SZ8025XD2	24	0.35	80*80*25mm
176	SZ8025MD4	48	0.06	80*80*25mm
177	SZ8025HD4	48	0.10	80*80*25mm
178	SZ8025XD4	48	0.18	80*80*25mm
179	SZ8038LD1	12	0.28	80*80*38mm
180	SZ8038MD1	48	0.65	80*80*38mm
181	SZ8038HD1	48	1.30	80*80*38mm
182	SZ8038XD1	48	3.60	80*80*38mm
183	SZ8038LD2	24	0.14	80*80*38mm
184	SZ8038MD2	24	0.32	80*80*38mm
185	SZ8038HD2	24	0.65	80*80*38mm
186	SZ8038XD2	24	1.80	80*80*38mm
187	SZ8038LD4	48	0.08	80*80*38mm
188	SZ8038MD4	48	0.16	80*80*38mm
189	SZ8038HD4	48	0.35	80*80*38mm
190	SZ8038XD4	48	0.90	80*80*38mm
191	SZ9225MD1	12	0.60	92*92*25mm
192	SZ9225HD1	12	0.80	92*92*25mm
193	SZ9225XD1	12	0.85	92*92*25mm
194	SZ9225MD2	24	0.30	92*92*25mm
195	SZ9225HD2	24	0.40	92*92*25mm
196	SZ9225XD2	24	0.42	92*92*25mm
197	SZ9232MD1	12	0.74	92*92*32mm
198	SZ9232HD1	12	1.20	92*92*32mm
199	SZ9232MD2	24	0.37	92*92*32mm
200	SZ9232HD2	24	0.60	92*92*32mm
201	SZ9232MD4	48	0.18	92*92*32mm
202	SZ9232HD4	48	0.30	92*92*32mm
203	SZ9238MD1	12	0.75	92*92*38mm
204	SZ9238HD1	12	1.60	92*92*38mm
205	SZ9238XD1	12	3.00	92*92*38mm
206	SZ9238MD2	24	0.40	92*92*38mm
207	SZ9238HD2	24	0.80	92*92*38mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
208	SZ9238XD2	24	1.50	92*92*38mm
209	SZ9238MD4	48	0.22	92*92*38mm
210	SZ9238HD4	48	0.40	92*92*38mm
211	SZ9238XD4	48	0.75	92*92*38mm
212	SZ12025MD1	12	0.52	120*120*25mm
213	SZ12025HD1	12	0.85	120*120*25mm
214	SZ12025XD1	12	1.20	120*120*25mm
215	SZ12025MD2	24	0.25	120*120*25mm
216	SZ12025HD2	24	0.42	120*120*25mm
217	SZ12025XD2	24	0.70	120*120*25mm
218	SZ12025MD4	48	0.13	120*120*25mm
219	SZ12025HD4	48	0.21	120*120*25mm
220	SZ12025XD4	48	0.35	120*120*25mm
221	SZ12032LD2	24	0.25	120*120*32mm
222	SZ12032HD2	24	0.60	120*120*32mm
223	SZ12038HD05	5	2.20	120*120*38mm
224	SZ12038MD1	12	1.11	120*120*38mm
225	SZ12038HD1	12	1.63	120*120*38mm
226	SZ12038XD1	12	4.00	120*120*38mm
227	SZ12038MD2	24	0.62	120*120*38mm
228	SZ12038HD2	24	0.80	120*120*38mm
229	SZ12038XD2	24	2.00	120*120*38mm
230	SZ12038MD4	48	0.28	120*120*38mm
231	SZ12038HD4	48	0.43	120*120*38mm
232	SZ12038XD4	48	1.00	120*120*38mm
233	SZ14025HD1	12	1.00	140*140*25mm
234	SZ14038MD1	12	2.50	140*140*38mm
235	SZ14038HD1	12	5.00	140*140*38mm
236	SZ14038MD2	24	0.90	140*140*38mm
237	SZ14038HD2	24	1.50	140*140*38mm
238	SZ14038XD2	24	2.50	140*140*38mm
239	SZ14038MD4	48	0.40	140*140*38mm
240	SZ14038HD4	48	0.55	140*140*38mm
241	SZ14038XD4	48	1.25	140*140*38mm
242	SZ14050MD2	24	1.80	140*140*50mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
243	SZ14050HD2	24	3.10	140*140*50mm
244	SZ14050MD4	48	0.95	140*140*50mm
245	SZ14050HD4	48	1.50	140*140*50mm
246	SZ15050MD1	12	3.80	150*150*51mm
247	SZ15050HD1	12	5.50	150*150*51mm
248	SZ15050MD2	24	2.10	150*150*51mm
249	SZ15050HD2	24	3.50	150*150*51mm
250	SZ15050MD4	48	0.95	150*150*51mm
251	SZ15050HD4	48	1.80	150*150*51mm
252	SZ17251MD1	12	3.80	172*150*51mm
253	SZ17251HD1	12	5.50	172*150*51mm
254	SZ17251MD2	24	1.80	172*150*51mm
255	SZ17251HD2	24	2.50	172*150*51mm
256	SZ17251XD2	24	3.80	172*150*51mm
257	SZ17251MD4	48	0.95	172*150*51mm
258	SZ17251HD4	48	1.50	172*150*51mm
259	SZ18060HD1	12	5.00	180*180*60mm
260	SZ18060HD2	24	2.60	180*180*60mm
261	SZ18060HD4	48	1.50	180*180*60mm
262	SZ20053MD1	12	7.50	200*200*53mm
263	SZ20053HD1	12	12.00	200*200*53mm
264	SZ20053MD2	24	1.20	200*200*53mm
265	SZ20053HD2	24	2.50	200*200*53mm
266	SZ20053XD2	24	7.00	200*200*53mm
267	SZ20053MD4	48	1.20	200*200*53mm
268	SZ20053HD4	48	2.00	200*200*53mm
269	SZ20053XD4	48	3.50	200*200*53mm
270	SZ20060MD1	12	3.50	200*200*60mm
271	SZ20060HD1	12	7.50	200*200*60mm
272	SZ20060MD2	24	2.20	200*200*60mm
273	SZ20060HD2	24	3.50	200*200*60mm
274	SZ20060XD2	24	4.80	200*200*60mm
275	SZ20060MD4	48	1.00	200*200*60mm
276	SZ20060HD4	48	1.60	200*200*60mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750

EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
277	SZ20060XD4	48	2.40	200*200*60mm
278	SZ20070HD2	24	4.50	φ200*70mm
279	SZ20070HD4	48	2.30	φ200*70mm
280	SZ22580HD2	24	2.50	225*225*80mm
281	SZ22580HD4	48	4.50	225*225*80mm
282	SZ25489MD2	24	5.50	φ254*89mm
283	SZ25489HD2	24	9.80	φ254*89mm
284	SZ25489MD4	48	2.50	φ254*89mm
285	SZ25489HD4	48	4.50	φ254*89mm
286	SZ28080MD2	24	6.50	280*280*80mm
287	SZ28080HD2	24	8.80	280*280*80mm
288	SZ28080MD4	48	2.50	280*280*80mm
289	SZ28080HD4	48	4.50	280*280*80mm
290	SZ33083HD1	12	4.00	374*330*83mm
291	SZ33083MD2	24	2.00	374*330*83mm
292	SZ33083HD2	24	3.80	374*330*83mm
293	SZ33083HD4	48	1.90	374*330*83mm
294	SG3517HD05	5	0.15	35*35*17mm
295	SG4010MD1	12	0.07	40*40*10mm
296	SG4010HD1	12	0.09	40*40*10mm
297	SG4010MD2	24	0.03	40*40*10mm
298	SG4010HD2	24	0.04	40*40*10mm
299	SG5010MD05	5	0.12	50*50*10mm
300	SG5010HD05	5	0.16	50*50*10mm
301	SG5010XD05	5	0.28	50*50*10mm
302	SG5010MD1	12	0.05	50*50*10mm
303	SG5010HD1	12	0.07	50*50*10mm
304	SG5015MD1	12	0.12	50*50*15mm
305	SG5015HD1	12	0.22	50*50*15mm
306	SG5015XD1	12	0.30	50*50*15mm
307	SG5015MD2	24	0.06	50*50*15mm
308	SG5015HD2	24	0.12	50*50*15mm
309	SG5015XD2	24	0.16	50*50*15mm
310	SG5020MD1	12	0.11	50*50*20mm
311	SG5020HD1	12	0.22	50*50*20mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China
Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
312	SG5020MD2	24	0.06	50*50*20mm
313	SG5020HD2	24	0.12	50*50*20mm
314	SG6025MD1	12	0.14	60*60*25mm
315	SG6025HD1	12	0.30	60*60*25mm
316	SG6025XD1	12	0.50	60*60*25mm
317	SG6025MD2	24	0.07	60*60*25mm
318	SG6025HD2	24	0.15	60*60*25mm
319	SG6025XD2	24	0.25	60*60*25mm
320	SG6028HD1	12	0.12	60*60*28mm
321	SG7515HD1	12	0.46	75*75*15mm
322	SG7530MD1	12	0.20	75*75*30mm
323	SG7530HD1	12	0.45	75*75*30mm
324	SG7530MD2	24	0.10	75*75*30mm
325	SG7530HD2	24	0.22	75*75*30mm
326	SG8016HD1	12	0.38	80*80*16mm
327	SG9216HD1	24	0.35	92*92*16mm
328	SG9733MD1	12	0.70	97*94*33mm
329	SG9733HD1	12	1.10	97*94*33mm
330	SG9733XD1	12	1.80	97*94*33mm
331	SG9733MD2	24	0.35	97*94*33mm
332	SG9733HD2	24	0.56	97*94*33mm
333	SG9733XD2	24	0.90	97*94*33mm
334	SG9733MD4	48	0.18	97*94*33mm
335	SG9733HD4	48	0.28	97*94*33mm
336	SG9733XD4	48	0.45	97*94*33mm
337	SG12032MD1	12	0.48	120*120*32mm
338	SG12032HD1	12	1.20	120*120*32mm
339	SG12032MD2	24	0.24	120*120*32mm
340	SG12032HD2	24	0.50	120*120*32mm
341	SG133HD2	24	5.40	φ133*190mm
342	SG133HD4	48	2.70	φ133*190mm
343	SG146HD2	24	6.80	φ146*190mm
344	SG146HD4	48	4.60	φ146*190mm
345	SL10025MD1	12	0.22	φ100*25mm
346	SL10025HD1	12	0.35	φ100*25mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China
Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
347	SL10025XD1	12	0.60	φ100*25mm
348	SL10025MD2	24	0.11	φ100*25mm
349	SL10025HD2	24	0.18	φ100*25mm
350	SL10025XD2	24	0.30	φ100*25mm
351	SL10030HD1	12	0.14	φ100*30mm
352	SL10030HD2	24	0.28	φ100*30mm
353	SL12025LD1	12	0.53	φ120*25mm
354	SL12025LD2	24	0.27	φ120*25mm
355	SL12538LD1	12	0.15	φ125*38mm
356	SL12538LD2	24	0.30	φ125*38mm
357	SZ13050MD1	12	0.33	130*130*50mm
358	SZ13050HD1	12	0.55	130*130*50mm
359	SZ13050XD1	12	0.94	130*130*50mm
360	SZ13050MD2	24	0.16	130*130*50mm
361	SZ13050HD2	24	0.26	130*130*50mm
362	SZ13050XD2	24	0.45	130*130*50mm
363	SZ13050MD4	48	0.07	130*130*50mm
364	SZ13050HD4	48	0.12	130*130*50mm
365	SZ13050XD4	48	0.21	130*130*50mm
366	SL133MD1	12	1.90	φ133*84mm
367	SL133HD1	12	3.50	φ133*84mm
368	SL133XD1	12	5.20	φ133*84mm
369	SL133MD2	24	0.85	φ133*84mm
370	SL133HD2	24	1.70	φ133*84mm
371	SL133XD2	24	2.40	φ133*84mm
372	SL133MD4	48	0.42	φ133*84mm
373	SL133HD4	48	0.85	φ133*84mm
374	SL133XD4	48	1.20	φ133*84mm
375	SL175MD1	12	7.50	φ175*69mm
376	SL175HD1	12	9.50	φ175*69mm
377	SL175MD2	24	2.20	φ175*69mm
378	SL175HD2	24	3.50	φ175*69mm
379	SL175XD2	24	4.50	φ175*69mm
380	SL175MD4	48	1.10	φ175*69mm
381	SL175HD4	48	1.80	φ175*69mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China

Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750



EC - Attestation of Conformity

No.	Model No.	Rated Voltage (V ---)	Rated Current (A)	Size (mm)
382	SL175XD4	48	2.50	φ175*69mm
383	SL190MD1	12	3.20	φ190*89mm
384	SL190HD1	12	5.12	φ190*89mm
385	SL190MD2	24	1.60	φ190*89mm
386	SL190HD2	24	2.56	φ190*89mm
387	SL190XD2	24	4.20	φ190*89mm
388	SL190MD4	48	1.28	φ190*89mm
389	SL190HD4	48	2.10	φ190*89mm
390	SL220MD2	24	2.40	φ220*99mm
391	SL220HD2	24	3.60	φ220*99mm
392	SL220XD2	24	4.60	φ220*99mm
393	SL220MD4	48	1.20	φ220*99mm
394	SL220HD4	48	1.80	φ220*99mm
395	SL220XD4	48	2.80	φ220*99mm
396	SL225HD2	24	7.60	φ225*99mm
397	SL225HD4	48	3.80	φ225*99mm
398	SL250HD2	24	3.50	φ250*100mm
399	SL250HD4	48	6.50	φ250*100mm
400	SL280HD2	24	3.80	φ280*135mm
401	SL280HD4	48	6.50	φ280*135mm
402	SL310HD2	24	3.50	φ310*158mm
403	SL310HD4	48	6.50	φ310*158mm
404	SL355HD4	48	4.50	φ355*158mm
405	SL400HD4	48	6.50	φ400*160mm

Guangzhou STAFIT Electronic Technology Co., Ltd.

Add.: RM.7, 9/F.,Block A, International Business Incubator, Lanyue Road,Guangzhou Science Park, Guangdong, China
Tel: 86 (0)20 32052710 Fax: 86 (0)20 32052750